



Meghalaya Basin  
Development Authority

+91 364-3510190

Office of the Project Director  
Community-based Forest Management and  
Livelihood Improvement in Meghalaya  
Shalom Building, 2<sup>nd</sup> Floor Lower  
Lachumiere, Shillong-793001

cflip-mbda@gov.in, jica.mbda@gmail.com



Japan International  
Cooperation Agency

www.mbda.gov.in

MBDA/JICA/2022/806/602(A)

Date: 18<sup>th</sup> June, 2022

## Addendum#2

### “Procurement of Office Equipment for MeCFLIP”

IFB Reference No: MBDA/JICA/2022/806/581

Published on: 6<sup>th</sup> June, 2022

Sl. No.	Clause No/Ref No	Original clause	Amended clause																																
1	IFB Clause; Specifications Point No. 1, Page No 7	<b>Portable Projector old Specifications</b> <table border="1"> <tr> <td><b>Technology</b></td> <td>single-chip LCD</td> </tr> <tr> <td><b>Brightness</b></td> <td>2400 Lumens</td> </tr> <tr> <td><b>Contrast Ratio</b></td> <td>2000:01:00</td> </tr> <tr> <td><b>Projection</b></td> <td>3 LCD</td> </tr> <tr> <td><b>Native Resolution</b></td> <td>800x480</td> </tr> <tr> <td><b>Max Resolution</b></td> <td>1280X480</td> </tr> <tr> <td><b>Ultra Short Throw</b></td> <td>Yes</td> </tr> <tr> <td><b>Native Aspect Ratio</b></td> <td>16:10</td> </tr> </table>	<b>Technology</b>	single-chip LCD	<b>Brightness</b>	2400 Lumens	<b>Contrast Ratio</b>	2000:01:00	<b>Projection</b>	3 LCD	<b>Native Resolution</b>	800x480	<b>Max Resolution</b>	1280X480	<b>Ultra Short Throw</b>	Yes	<b>Native Aspect Ratio</b>	16:10	<b>Portable Projector new Specifications</b> <table border="1"> <tr> <td><b>Technology</b></td> <td>LCD/LED</td> </tr> <tr> <td><b>Brightness</b></td> <td>300 Lumens or above</td> </tr> <tr> <td><b>Contrast Ratio</b></td> <td>10000: 1or above</td> </tr> <tr> <td><b>Projection</b></td> <td>3 LCD/DLP</td> </tr> <tr> <td><b>Native Resolution</b></td> <td>640x480 or above</td> </tr> <tr> <td><b>Resolution</b></td> <td>1280X800 or above</td> </tr> <tr> <td><b>Throw</b></td> <td>Short/Standard</td> </tr> <tr> <td><b>Native Aspect Ratio</b></td> <td>16:10</td> </tr> </table>	<b>Technology</b>	LCD/LED	<b>Brightness</b>	300 Lumens or above	<b>Contrast Ratio</b>	10000: 1or above	<b>Projection</b>	3 LCD/DLP	<b>Native Resolution</b>	640x480 or above	<b>Resolution</b>	1280X800 or above	<b>Throw</b>	Short/Standard	<b>Native Aspect Ratio</b>	16:10
<b>Technology</b>	single-chip LCD																																		
<b>Brightness</b>	2400 Lumens																																		
<b>Contrast Ratio</b>	2000:01:00																																		
<b>Projection</b>	3 LCD																																		
<b>Native Resolution</b>	800x480																																		
<b>Max Resolution</b>	1280X480																																		
<b>Ultra Short Throw</b>	Yes																																		
<b>Native Aspect Ratio</b>	16:10																																		
<b>Technology</b>	LCD/LED																																		
<b>Brightness</b>	300 Lumens or above																																		
<b>Contrast Ratio</b>	10000: 1or above																																		
<b>Projection</b>	3 LCD/DLP																																		
<b>Native Resolution</b>	640x480 or above																																		
<b>Resolution</b>	1280X800 or above																																		
<b>Throw</b>	Short/Standard																																		
<b>Native Aspect Ratio</b>	16:10																																		

		<table border="1"> <tr> <td><b>Video Compatibility</b></td> <td>720p, 1080i, 1080p/60, 480p, 480i</td> </tr> <tr> <td><b>Lamp Life</b></td> <td>40,000 hours</td> </tr> <tr> <td><b>Audio</b></td> <td>2W x 2</td> </tr> <tr> <td><b>Classroom</b></td> <td>Yes</td> </tr> <tr> <td><b>Warranty</b></td> <td>1 year</td> </tr> <tr> <td><b>Connectivity</b></td> <td>USB Port, HDMI</td> </tr> </table>	<b>Video Compatibility</b>	720p, 1080i, 1080p/60, 480p, 480i	<b>Lamp Life</b>	40,000 hours	<b>Audio</b>	2W x 2	<b>Classroom</b>	Yes	<b>Warranty</b>	1 year	<b>Connectivity</b>	USB Port, HDMI	<table border="1"> <tr> <td><b>Video Compatibility</b></td> <td>720p, 1080i, 1080p/60, 480p, 480i</td> </tr> <tr> <td><b>Source Life</b></td> <td>4000 hours or above hours</td> </tr> <tr> <td><b>Audio</b></td> <td>2W or above</td> </tr> <tr> <td><b>Classroom</b></td> <td>Yes</td> </tr> <tr> <td><b>Ceiling Mountable</b></td> <td>Yes</td> </tr> <tr> <td><b>Warranty</b></td> <td>1 year</td> </tr> <tr> <td><b>Connectivity</b></td> <td>VGA/ HDMI or higher</td> </tr> </table>	<b>Video Compatibility</b>	720p, 1080i, 1080p/60, 480p, 480i	<b>Source Life</b>	4000 hours or above hours	<b>Audio</b>	2W or above	<b>Classroom</b>	Yes	<b>Ceiling Mountable</b>	Yes	<b>Warranty</b>	1 year	<b>Connectivity</b>	VGA/ HDMI or higher														
<b>Video Compatibility</b>	720p, 1080i, 1080p/60, 480p, 480i																																										
<b>Lamp Life</b>	40,000 hours																																										
<b>Audio</b>	2W x 2																																										
<b>Classroom</b>	Yes																																										
<b>Warranty</b>	1 year																																										
<b>Connectivity</b>	USB Port, HDMI																																										
<b>Video Compatibility</b>	720p, 1080i, 1080p/60, 480p, 480i																																										
<b>Source Life</b>	4000 hours or above hours																																										
<b>Audio</b>	2W or above																																										
<b>Classroom</b>	Yes																																										
<b>Ceiling Mountable</b>	Yes																																										
<b>Warranty</b>	1 year																																										
<b>Connectivity</b>	VGA/ HDMI or higher																																										
2	IFB Clause; Specifications Point No. 3, Page No 8	<p><b>Multi-Function Color Printer</b> – old Specifications to be replaced with new Specifications with Minimum requirement as shown below:</p> <table border="1"> <thead> <tr> <th>Features</th> <th>Minimum Requirement</th> </tr> </thead> <tbody> <tr> <td>Printing Method</td> <td>Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head</td> </tr> <tr> <td>Print Speed (A4)</td> <td>Min 25 ppm or higher</td> </tr> <tr> <td>Print Resolution</td> <td>600 x 600dpi</td> </tr> <tr> <td>Print Quality with Image Refinement Technology</td> <td>1,200 x 1,200dpi (equivalent)</td> </tr> <tr> <td>Auto Duplex Printing</td> <td>Standard</td> </tr> <tr> <td>Available Paper Size for Auto Duplex Print</td> <td>8.5" x 13", 16K (195 x 270 mm), 4 x 6", 5 x 7", A4, A5, A6, B5, B6, C6, DL, Envelopes: #10 (4.125 x 9.5"), Hagaki (100 x 148 mm), Indian-Legal (215 x 345 mm), Legal Size, Letter</td> </tr> </tbody> </table>	Features	Minimum Requirement	Printing Method	Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head	Print Speed (A4)	Min 25 ppm or higher	Print Resolution	600 x 600dpi	Print Quality with Image Refinement Technology	1,200 x 1,200dpi (equivalent)	Auto Duplex Printing	Standard	Available Paper Size for Auto Duplex Print	8.5" x 13", 16K (195 x 270 mm), 4 x 6", 5 x 7", A4, A5, A6, B5, B6, C6, DL, Envelopes: #10 (4.125 x 9.5"), Hagaki (100 x 148 mm), Indian-Legal (215 x 345 mm), Legal Size, Letter	<p><b>Multi-Function Color Printer</b> – New Specifications to be replaced with revised Specifications with Minimum requirement as shown below:</p> <table border="1"> <thead> <tr> <th>Features</th> <th>Minimum Requirement</th> </tr> </thead> <tbody> <tr> <td>Printing Method</td> <td>Duplex Colour Laser or Ink Tank Printing</td> </tr> <tr> <td>Print Speed (A4)</td> <td>20 ppm for Color &amp; 25 ppm for Mono</td> </tr> <tr> <td>Print Resolution</td> <td>600 x 600 dpi or higher</td> </tr> <tr> <td>Print Quality with Image Refinement Technology</td> <td>600 x 600 dpi or higher</td> </tr> <tr> <td>Auto Duplex Printing</td> <td>Standard</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>COPY</b></td> </tr> <tr> <td>Copy Speed (A4)</td> <td>21 ppm or higher</td> </tr> <tr> <td>Copy Resolution</td> <td>600 x 600dpi or higher</td> </tr> <tr> <td>Number of Copies</td> <td>99 copies or higher</td> </tr> <tr> <td>Copy Features</td> <td>Memory Sort, 2 on 1, 4 on 1, ID Card Copy</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>SCAN</b></td> </tr> <tr> <td>Scan Type</td> <td>Flatbed Colour Contact Image Sensor</td> </tr> </tbody> </table>	Features	Minimum Requirement	Printing Method	Duplex Colour Laser or Ink Tank Printing	Print Speed (A4)	20 ppm for Color & 25 ppm for Mono	Print Resolution	600 x 600 dpi or higher	Print Quality with Image Refinement Technology	600 x 600 dpi or higher	Auto Duplex Printing	Standard	<b>COPY</b>		Copy Speed (A4)	21 ppm or higher	Copy Resolution	600 x 600dpi or higher	Number of Copies	99 copies or higher	Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy	<b>SCAN</b>		Scan Type	Flatbed Colour Contact Image Sensor
Features	Minimum Requirement																																										
Printing Method	Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head																																										
Print Speed (A4)	Min 25 ppm or higher																																										
Print Resolution	600 x 600dpi																																										
Print Quality with Image Refinement Technology	1,200 x 1,200dpi (equivalent)																																										
Auto Duplex Printing	Standard																																										
Available Paper Size for Auto Duplex Print	8.5" x 13", 16K (195 x 270 mm), 4 x 6", 5 x 7", A4, A5, A6, B5, B6, C6, DL, Envelopes: #10 (4.125 x 9.5"), Hagaki (100 x 148 mm), Indian-Legal (215 x 345 mm), Legal Size, Letter																																										
Features	Minimum Requirement																																										
Printing Method	Duplex Colour Laser or Ink Tank Printing																																										
Print Speed (A4)	20 ppm for Color & 25 ppm for Mono																																										
Print Resolution	600 x 600 dpi or higher																																										
Print Quality with Image Refinement Technology	600 x 600 dpi or higher																																										
Auto Duplex Printing	Standard																																										
<b>COPY</b>																																											
Copy Speed (A4)	21 ppm or higher																																										
Copy Resolution	600 x 600dpi or higher																																										
Number of Copies	99 copies or higher																																										
Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy																																										
<b>SCAN</b>																																											
Scan Type	Flatbed Colour Contact Image Sensor																																										

		<b>COPY</b>		Scan Resolution	600 x 600 dpi or higher
	Copy Speed (A4)	Min 25 ppm or higher		Scan Size	216 x 297mm
	Copy Resolution	600 x 600dpi		Scan Speed	3.0secs. per sheet (mono) 4.0secs. per sheet (colour)
	Maximum Number of Copies	Up to 99 copies		Auto Document Feeder (ADF)	30 sheets (80g/m2)
	Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy		Available Paper Size for ADF	A4, B5, A5, B6, Letter, Legal (Min. 100 x 148mm to Max. 216 x 356mm)
		<b>SCAN</b>		Paper Input	100 sheets Multi-Purpose Tray 50 sheet
	Scan Type	Flatbed Colour Contact Image Sensor		Paper Output (Based on 68g/m2)	99 sheets
	Scan Resolution	Optical Up to 600 x 600dpi		Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)
		Driver Enhanced Up to 9,600 x 9,600dpi			
	Maximum Scan Size	Platen Glass Up to 216 x 297mm		Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)
	Scan Speed	Approx. 3.0secs. per sheet (mono) Approx. 4.0secs. per sheet (colour)			
			ADF (A4) 20 / 15ipm (mono / colour)		
	Auto Document Feeder (ADF)	35 sheets (80g/m2)		Operational Panel	Yes required
	Available Paper Size for ADF	A4, B5, A5, B6, Letter, Legal (Min. 100 x 148mm to Max. 216 x 356mm)		WIFI/Ethernet	Yes required
	Paper Input	Standard Cassette 100 sheets			
		Multi-Purpose Tray 1 sheet			
	Paper Output (Based on 68g/m2)	99 sheets			

		<table border="1"> <tr> <td>Paper Size</td> <td>Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)</td> </tr> <tr> <td>Standard Interface</td> <td>Wired-High-Speed USB 2.0</td> </tr> <tr> <td>Compatible Operating Systems</td> <td>Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)</td> </tr> <tr> <td>Operational Panel</td> <td>Yes</td> </tr> <tr> <td>Power Requirement</td> <td>AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)</td> </tr> <tr> <td>Monthly Duty Cycle</td> <td>15,000 pages</td> </tr> <tr> <td>Warranty</td> <td>1 Year Onsite Warranty</td> </tr> </table>	Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)	Standard Interface	Wired-High-Speed USB 2.0	Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)	Operational Panel	Yes	Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)	Monthly Duty Cycle	15,000 pages	Warranty	1 Year Onsite Warranty	<table border="1"> <tr> <td>Power Requirement</td> <td>AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)</td> </tr> <tr> <td>Monthly Duty Cycle</td> <td>15,000 pages</td> </tr> <tr> <td>Warranty</td> <td>1 Year Onsite Warranty</td> </tr> </table>	Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)	Monthly Duty Cycle	15,000 pages	Warranty	1 Year Onsite Warranty
Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)																						
Standard Interface	Wired-High-Speed USB 2.0																						
Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)																						
Operational Panel	Yes																						
Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)																						
Monthly Duty Cycle	15,000 pages																						
Warranty	1 Year Onsite Warranty																						
Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)																						
Monthly Duty Cycle	15,000 pages																						
Warranty	1 Year Onsite Warranty																						
3	IFB Clause; Specifications Point No. 8, Page No 12	<b>Expansion Pack of Image Processing Software:</b> Auto Sync, Virtual GIS, Delta Cue, NITF, Stereo Analyst, Ortho Radar & Stereo SAR DEM	<b>Expansion Pack of Image Processing Software:</b> Auto Sync, Virtual GIS, Delta Cue, NITF, Stereo Analyst, Ortho Radar & Stereo SAR DEM ( <b>Optional</b> )																				

4	Letter of Invitation Page No 3, Point No 3.	The deadline for receipt of your sealed bid is June 20, 2022 by 16:00 Hrs. (IST). Bids will be opened on June 20, 2022 at 16:30 Hrs. electronically.	The deadline for receipt of your sealed bid is June 24, 2022 by 16:00 Hrs. (IST). Bids will be opened on June 24, 2022 at 16:30 Hrs. electronically.
---	---	--	--

*Sd/-*

Shri. Gunanka DB, IFS  
Additional Project Director, CLLMP  
Meghalaya Basin Management Agency